



Star Plastic Industries

Format No : QA-021:F01:00

Effective date : 15/05/2020

Page No. : 1 of 1

Issued Date : 16/05/2020

TITLE: DETAIL OF PRODUCT SPECIFICATION SHEET

Specification no.- SPI-1087/A

Drawing no.- Cont.(SPI-4-009/00) / Cap(SPI-4-135/00)

Customer name	
Product name	180 R Container/44mm CRC Cap
Product type	Container : Blow Moulded, Cap : Injection Moulded
MOC Container	HDPE
MOC Cap	PP
Cap colour & colourant	White - Masterbatch
Container colour & colourant	White - Masterbatch
Outer Diameter of Container	55.10 mm \pm 0.5 mm
Neck Inner Diameter of Container	35.90 mm \pm 0.5 mm
Container ht. without Cap	100.30 mm \pm 0.5 mm
Container ht. with Cap	105.00 mm \pm 0.5 mm
Container weight	16.00 gms. \pm 0.5 gms
Outer Diameter of Cap	50.50 mm \pm 0.5 mm
Inner Diameter of Cap	44.00 mm \pm 0.5 mm
Thread Inner Diameter of Cap	42.00 mm \pm 0.5 mm
Cap ht.	16.60 mm \pm 0.5 mm
Cap weight	9.80 gms \pm 0.5 gms
Induction Wad Diameter	43.00 mm \pm 0.1 mm
Induction Wad Thickness	1.15 mm \pm 0.1 mm
Container wall thickness	0.8 mm \pm 0.1 mm
Container capacity	180 ML
Container brim level	215 ML

QA OFFICER SIGN & STAMP

DATE



Star Plastic Industries

Format No : QA-021:F01:00

Effective date : 15/05/2020

Page No. : 1 of 1

Issued Date : 16/05/2020

TITLE: DETAIL OF PRODUCT SPECIFICATION SHEET

Specification no.- SPI
1087/B(RENOWN)

Drawing no.- Cont.(SPI-4-009/00) / Cap(SPI-4-135/00)

Customer name	
Product name	180 R Container/44mm CRC Cap
Product type	Container : Blow Moulded, Cap : Injection Moulded
MOC Container	HDPE
MOC Cap	PP
Cap colour & colourant	White - Masterbatch
Container colour & colourant	White - Masterbatch
Outer Diameter of Container	55.10 mm \pm 0.5 mm
Neck Inner Diameter of Container	35.90 mm \pm 0.5 mm
Container ht. without Cap	100.30 mm \pm 0.5 mm
Container ht. with Cap	105.00 mm \pm 0.5 mm
Container weight	15.00 gms. \pm 0.5 gms
Outer Diameter of Cap	50.50 mm \pm 0.5 mm
Inner Diameter of Cap	44.00 mm \pm 0.5 mm
Thread Inner Diameter of Cap	42.00 mm \pm 0.5 mm
Cap ht.	16.60 mm \pm 0.5 mm
Cap weight	9.80 gms \pm 0.5 gms
Induction Wad Diameter	43.00 mm \pm 0.1 mm
Induction Wad Thickness	1.15 mm \pm 0.1 mm
Container wall thickness	0.8 mm \pm 0.1 mm
Container capacity	180 ML
Container brim level	215 ML

QA OFFICER SIGN & STAMP

DATE



Star Plastic Industries

Format No : QA-021:F01:00

Effective date : 15/05/2020

Page No. : 1 of 1

Issued Date : 16/05/2020

TITLE: DETAIL OF PRODUCT SPECIFICATION SHEET

Specification no.- SPI-1088

Drawing no.- Cont.(SPI-4-007/00) / Cap(SPI-4-135/00)

Customer name	
Product name	200 R Container/44mm CRC Cap
Product type	Container : Blow Moulded, Cap : Injection Moulded
MOC Container	HDPE
MOC Cap	PP
Cap colour & colourant	White - Masterbatch
Container colour & colourant	White - Masterbatch
Outer Diameter of Container	60.00 mm \pm 0.5 mm
Neck Inner Diameter of Container	35.70 mm \pm 0.5 mm
Container ht. without Cap	101.80 mm \pm 0.5 mm
Container ht. with Cap	106.50 mm \pm 0.5 mm
Container weight	18.00 gms. \pm 0.5 gms
Outer Diameter of Cap	50.50 mm \pm 0.5 mm
Inner Diameter of Cap	44.00 mm \pm 0.5 mm
Thread Inner Diameter of Cap	42.00 mm \pm 0.5 mm
Cap ht.	16.60 mm \pm 0.5 mm
Cap weight	9.80 gms \pm 0.5 gms
Induction Wad Diameter	43.00 mm \pm 0.1 mm
Induction Wad Thickness	1.15 mm \pm 0.1 mm
Container wall thickness	0.8 mm \pm 0.1 mm
Container capacity	200 ML
Container brim level	243 ML

QA OFFICER SIGN & STAMP

DATE